

# Product Catalogue

2023/2024



Re-imagining the way you work

# Contents

About us	4
Our team	5
1 Orthopaedics	6
X-ray	7
Ultrasound	10
Emergency & care	14
2 Dental	16
3 Gynaecology	20
4 Generator solutions	22
Generator stands	23
Generator remote control	25
5 Flat panel solutions	26
Protection covers	27
Flatpanel remote handling	30
6 Markers	34
7 Image improvement	36
8 Protection & safety	40
Aprons	41
Apron & gloves rack	47
Shields	49
Signs	51
9 Transport & storage	48
SCANdroid	49
Carts	50
Mobile workstation	53
10 Farriery	58



[podoblockusa.com/shop](https://podoblockusa.com/shop)



SCAN ME



# About us

## Who we are

Podoblock is the global leader in accessories and tools for the imaging market. We re-imagine and reinvent the way imaging professionals in the veterinarian world make X-rays and ultrasounds by using our durable, safe and ergonomic products. We believe that safety for imaging professionals is crucial when exposed to hazardous environments, and efficiency is necessary for a fast-paced profession. The solutions we innovate help practitioners stay safe and efficient with enhanced mobility. We design, build and test each piece of equipment to ensure our quality and your safety. **Re-imagine the way you work.**

## Our history

Podoblock has always set the bar for high quality solutions by constantly innovating to improve our customers' efficiency and safety. With nearly three decades of extensive professional experience in the equine market, coupled with over 15 years of veterinary medical expertise, we deeply prioritize our esteemed clientele and strive to provide unparalleled value. Our unwavering commitment lies in harnessing our proficiency to develop cutting-edge solutions utilizing our exceptional range of products.

## Innovative solutions today

As technology continues to evolve, we make it our priority to invest our time into developing products that go above and beyond the industry standard and utilize innovative hardware.

## Made in Holland

All products are made in the Netherlands, and we choose only the highest quality material.

## Deliverability

We offer worldwide delivery through our offices located in the Netherlands and in the United States.

## Service and repairs

Our products are made of the highest quality materials, and we provide both in-house and online customer service to ensure product satisfaction.



# Our team



**Claudia Lucker**  
PODOBLOCK USA MANAGING DIRECTOR  
claudia.lucker@podoblockusa.com  
+1 561 815 2265



**Quincy Jacobs**  
SALES MANAGER  
quincy.jacobs@podoblockusa.com  
+1 561 398 3664



**Alex Berends**  
CO-FOUNDER & CEO  
ceo@podoblock.com  
+31 50 82 00 052



**Kees Laninga**  
PURCHASE & LOGISTICS  
logistics@podoblock.com  
+31 50 82 00 053



**Wim Bentum**  
WAREHOUSING  
+31 50 82 00 057



**Leonie Veenstra**  
MARKETING MANAGER  
marketing@podoblock.com  
+31 50 82 00 057



**Tiemen Hovius**  
FINANCIAL MANAGER  
finance@podoblock.com  
+31 50 82 00 054



**René van Wijk**  
INSIDE SALES & BACKOFFICE  
sales@podoblock.com  
+31 50 82 00 056



# 1 | Orthopaedics

At Podoblock, we recognize the challenges that equine veterinarians face daily. From the onset of our business in 2008, we have been aware of the difficulties that come with equine X-raying and ultrasound. Our very first invention, the Podoblock, has been a whopping success ever since. It always guarantees the same angle in every position, and it maximally minimizes radiation because of the hands-free system. From there we developed a whole range of robust, solid and almost indestructible products which help you work safe and efficiently.



**Abbreviation:**  
BE = Base Element  
TB = Topblock  
UP = Upright Pedal




## Podoblock

- Made of aluminium base and a synthetic PE500 top piece
- Weight Podoblock: 14.3 lbs
- 4 rubber feet
- Includes 1 Topblock of your choice
- LM / AP / 45° Hands-free system
- Avoids fingers on your X-ray
- Height from ground to tip-off hoof in Podoblock is either 3.54" (90 mm), 4.72" (120 mm) or 6.69" (170 mm)

Product	Itemnumber
Base Element 90 mm	PB 01AL090
BE 90mm + TB 45°	PB 01AL090-45
BE 90mm + TB 50°	PB 01AL090-50
BE 90mm + TB 55°	PB 01AL090-55
BE 90mm + TB 60°	PB 01AL090-60
BE 90mm + TB 60° UP	PB 01AL090-60 UP
Base Element 120 mm	PB 01AL120
BE 120mm + TB 45°	PB 01AL120-45
BE 120mm + TB 50°	PB 01AL120-50
BE 120mm + TB 55°	PB 01AL120-55
BE 120mm + TB 60°	PB 01AL120-60
BE 120mm + TB 60° UP	PB 01AL120-60 UP
Base Element 170 mm	PB 01AL170
BE 170mm + TB 45°	PB 01AL170-45
BE 170mm + TB 50°	PB 01AL170-50
BE 170mm + TB 55°	PB 01AL170-55
BE 170mm + TB 60°	PB 01AL170-60
BE 170mm + TB 60° UP	PB 01AL170-60 UP







**Topblock + optional wedge**  
Easily interchangeable radiolucent blocks for our Podoblock with an angle diversity of 45° to 60° with 5° increments.

- Made of synthetic PE500
- Available in black only

Product	Itemnumber
Topblock 45°	TB 0250045
Topblock 50°	TB 0250050
Topblock 55°	TB 0250055
Topblock 60°	TB 0250060
Topblock 60° Upright pedal	TBD 0250060
Topblock Wedge 10°	TBW 0250010



Design:  
Dr. Joachim Onderka

**MagRayCloxx**  
Magnetic X-ray block that greatly enhances both your and the horse's mobility and working speed. The blocks stay on the horse while making oblique X-rays.

The block has a clean break-over and a cut lateral and medial edge.

The cloxx can be used with or without (radiolucent) foil that is wrapped around the horse's shoe for safe fixation, and even works on a barefoot horse.

- Made of synthetic PE500
- Size: L 6.1" x W 6.3" x H 2.4"
- Clean break-over on both front and side
- Magnets to fix to the horseshoe
- Bottom of Cloxx padded with anti-slip rubber strips
- Comes with radiolucent foil for extra fixation

Product	Itemnumber
2 Blocks / 1 Hand dispenser / 5 Foil rolls	MRC 01SET2-5
4 Blocks / 1 Hand dispenser / 12 Foil rolls	MRC 01SET4-12
1 Hand dispenser / 12 Foil rolls	MRC 01FOIL1-12



**Topblock Flatplate LM / AP/ 45°**  
For LM / AP / 45° takes with the foot standing flat or upright pedal.

- Anti-slip surface
- Made of synthetic PE500
- Available in black only

Product	Itemnumber
Topblock Flatplate AP	TBF 02500AP
Topblock Flatplate LM / AP	TBF 02500LMAP
Topblock Flatplate LM / AP/45°	TBF 0250045



**Hoofplaster**  
For shadow-free hoof recordings.

Product	Itemnumber
5 x 8.8 oz	HP 10BL25005
25 x 8.8 oz *1	HP 10BL25025
50 x 8.8 oz *2	HP 10BL25050



SCANDroid

The ideal, height-adjustable scan stool for the mobile veterinarian to transport to the job site or for clinic use. The SCANDroid has excellent stability with a total of 5 castor wheels, 2 of which with a locking device. The gas spring allows for a stageless height-adjustment and can be upgraded with an optional Extension pipe. Upgrade your SCANDroid bottom tray with a Coverplate to protect the bottom of the SCANDroid from dust and dirt. The Coverplate can be customised with your own logo.

- Transport: Ø 15.7" x 9" height / 20.5 lbs weight
- Maximum weight bearing gas spring is 242 lbs

Working heights are as follow:

- SCANDroid: 9.1" + 15" - 20.1"
- SCANDroid with Extension Short: 9.1" + 15" - 25.2"
- SCANDroid with Extension Long: 9.1" + 15" - 20.1" + 25" - 30"
- SCANDroid with Extension Short and Long: 9.1" + 15" - 30"

Product	Itemnumber
SCANDroid	SK 1039270
SCANDroid + Extension Short	SK 1039270 S
SCANDroid + Extension Long	SK 1039270 L
SCANDroid + both Extensions	SK 1039270 SL
Extension Short	SK 10EXT150
Extension Long	SK 10EXT307
Coverplate + Podoblock logo	SK 10COVER-PB
Coverplate + Customer logo	SK 10COVER-PR



Cooperflex

A light-weight, sturdy and highly mobile hoof support with a pivot that allows you to change the angle of the foot pedal.

Comes with an extension-pipe that gives you more working-height.

- Material Base plate: High-density Polyethylene
- Material Foot stand: Aluminium
- Weight: 10 lbs
- Diameter Base: Ø 15.7"
- Low - High position: 7.9" - 15.8"
- Extension pipe also serves as a carrying device



Product	Itemnumber
Cooperflex	CF 10FLSTND







U-scan

Our own standoff, adaptable for a wide range of linear-array transducers.

- Thickness sides: 0.3"
- Thickness bottom: 0.5"
- Comes in a protective box

Note:  
We supply all available kinds of standoff on request.



Flabbus Ultrasound Standoff

The Flabbus Ultrasound Standoff is an exceptionally elastic item, conforming to patient contours while maintaining uniform thickness and universal application to each type of Probe head.

Flabbus Ultrasound Standoff is made of a proprietary synthetic gel, resulting in a moulded material that does not suffer inelastic strain from everyday stresses.

Consequently, the Flabbus Ultrasound Standoff does not have to be bagged or wrapped in plastic film to maintain its shape and can be easily stored.

For optimal use, the user can cut it to his/her preferred size-of-use with the supplied scissors. For example, the 11.8" x 11.8" Flabbus can be cut into six smaller parts of 3.9" x 5.9".

Any other size is a possibility, depending on personal choice.

- Size: 118" x 118"
- Thickness: 0.12" (3 mm) or 0.2" (5 mm)

Product	Itemnumber
U-scan	LAS 10804010
Flabbus Standoff - 3 mm	FUS 1030303
Flabbus Standoff - 5 mm	FUS 1030305



SCAN Wedge

Straight-forward wedge for extra extension to be placed under the hoof when conducting hyperextension-test of the coffin joint.

- Material : Rubber 95° Shore
- Dimensions: L 7.1" x W 5.9" x H 2.6"-0
- Angle: 20°

Product	Itemnumber
SCAN Wedge	SW 1050065-0



Professional Equine Vet Review

"This new Podoblock SCANwedge is very helpful in performing the hyperextension-test of the coffin joint. The different structures can be stressed individually. Both navicular bone and bursa, with deep digital flexor tendon are easily put under tension and pressure by lifting up the toe.

By placing the wedge from the side under the hoof it is easy to put tension on the collateral ligaments of the toe and pressure on the joint surfaces of the opposite side.

The wedge is a very good tool to make a precise diagnosis in clinical lameness exam. Furthermore, the wedge can be used to perform a better ultrasound of the collateral ligaments of the coffin joint. The ligament can be visualized more distally by stretching it a bit out of the hoof capsule."

Dr. med. vet. Claudius Krieg  
Pferdepraxis Equine-Vet





Every year thousands of foals are born with flexural or angular limb deformities or deviations at the level of the carpus or fetlocks - avoiding that they reach their optimal performance level later in life.

Redboot reintroduces the use of external co-optation with a revolutionary line of boots and braces, specially designed in both lighter and durable materials that adapt anatomically and with comfort, avoiding the injuries that can be produced by old fashioned devices.

Corrective Foal Boot

The Corrective Foal Boot is designed to be used in all fetlocks for:

- Correction of Flexural Limb Deformities or contracted tendons
- Correction of Angular Limb Deformities or toe-in / toe-out conditions
- Prevention of acquired retraction due to pain-post-injury
- Permanent or temporary immobilization of the distal limb (for better management of fractures, tendon or ligament injuries and wounds)

The Corrective Foal Boot comes in one-size-fits-all.

Product	Itemnumber
Redboot   Corrective Foal Boot	RED 13CFB



Emergency Compression Boot

The Emergency Compression Boot can be used for:

- Immobilization of distal limbs
- Emergency breakdown stabilization
- Condylar, sesamoid or P1, P2 and P3 fractures (where normal alignment is required)
- Wound management (where immobilization is required)

The Emergency Compression Boot comes in 2 sizes: Regular and Large.

Product	Itemnumber
Redboot   Emergency Compression Boot (R)	RED 13ECBR
Redboot   Emergency Compression Boot (L)	RED 13ECBL



Articulated Corrective Brace

The Articulated Corrective Brace can be used in the full front limbs for:

- Correction of Flexural Limb Deformities or contracted tendons
- Correction of Angular Limb Deformities or Carpus Varus/Valgus
- Prevention of acquired full limb retractions (due to pain)
- Permanent or temporary immobilization of the full limb

This model also comes in two sizes: Regular and Large.

Product	Itemnumber
Redboot   Articulated Corrective Brace (R)	RED 13ACBR
Redboot   Articulated Corrective Brace (L)	RED 13ACBL







# 2 | Dental

The demand for Dental X-Ray solutions has grown drastically over the last 10 years and our company has been continuously developing new and innovative products to lead the way with practical solutions. These products allow for a seamless operative process in the world of equine dentistry.



Note:  
When ordering the optional CR-Cassette or DR-Flat panel solutions, be sure to state the required cassette measurements you use.


**Denfinity**  
This lightweight, portable and collapsible stainless steel stand offers you the freedom to make high-quality Skull X-rays in a hands-free fashion. The Denfinity stand is a fully stainless steel base plate and vertical telescopic pole that guarantees a secure positioning and correct height adjustment.

**Configuration and Combination Possibilities**  
**The Base**  
You can configure the base plate and pole with several options that can quickly and directly be placed on the Denfinity base.

**The 3D-Joint**  
The aluminium 3D-joint is a rotating head joint that securely attaches our DR-Buckybox and DR-Cowboybox.

**The LM-Head Support**  
In combination with our Protectionbox, Podo-Protectionbox, DR-Buckybox and DR-Cowboybox and fixates your CR-Cassette or DR-Flatpanel for best usage.

**The DR-Buckybox**  
Secures your Cassette or Digital Flat Panel when used in combination with the 3D-joint and LM-Head support.



Note:  
For more information revert to page 29 Buckybox in H5

**Denfinity Options**  
**A. Base Element**  
Base plate: 14" x 16" x 3.5"  
Vertical pole: 38"  
Vertical travel: 24"  
Material: Stainless steel  
**B. 3D-joint**  
Aluminium 3D-swivel joint used in combination with DR-Buckybox or DR-Cowboybox  
**C. LM-Head support**  
Polycarbonate 0.4"  
Swivel range: 180° Universal adapter for fixation of all CR-Cassette & DR-Flat Panel Solutions  
**D. Headrest**  
Polycarbonate 0.4"  
Full radiolucent, no metal parts in the detection area  
**E. DR-Buckybox**  
Material: Polycarbonate 0.12"  
Fully closed cassette which requires 3D-joint to function



Product	Itemnumber
Base Element	DSJ 1050401
3D-Joint	DSJ 10DNL3D
LM Head-support	DSJ 10LMHEAD
Headrest	DSJ 10HREST
DR-Buckybox   Wired	All Series
DR-Buckybox   Wireless	All Series





### XstandR


The XstandR is a revolutionary set of interchangeable radiolucent bite plates for equine head radiographs. The XstandR is only intended for taking X-rays of the incisors.

They are entirely universal to fit all speculi available in the market.

According to the official DAkKS-DKD-R 3-3 regulation, these radiolucent bite plates have been tested and can withstand a pressure of 5,13 kN / 1131 lbs

- Material: HMPE1000
- Can withstand a pressure of 5,13 kN / 1131 lbs

Product	Itemnumber
XstandR	RBP 10REGU



Radiolucent bite plates sample X-ray



### The JuliuSter

Designed, tested and approved in collaboration with the European Equine Dental Consultancy.

Easy-to-use device to offset the lower jaw to the left or right for open-mouth views with offset-technique.

Great to investigate the roots and the occlusion surface of the cheek teeth. Dorso-ventral views can be made with a 5 cm offset to the left and right.

- Material: HMPE500
- Offset: 0.2" left/right
- Adjusted in 0.5" increments
- Strap: 58" BioThane



Product	Itemnumber
JuliuSter	DRS 1011560



### Dental X-Block

Can be used directly between the incisors to quickly create 2.4, 3.2" or 4.0" space.

- Material: Rubber 95° shore
- Weight: 1.4 lbs
- Size: 2.4" x 3.2" x 4.0"

Product	Itemnumber
Dental X-Block	DXB 106810







# 3 | Gynaecology

Consistent results, simpler, safer and with a focus on the well-being of the horse. In gynaecology, we have developed an innovation in collaboration with Utrecht University and Seldsum EQ Hendriks. Just to make the work of veterinarians a little easier.



## OPU ProbeHolder

Our new ovum pick-up (OPU) probe holder is the ideal device for ovum ultrasound and is compatible with most ultrasound brands on the market.

With the ProbeHolder, you have an innovation that makes equine OPU ultrasound processes simpler, faster and more comfortable for both vet and horse.

The unique construction, material and size of this innovative product are the attributes that make it valuable. It comes equipped with an integrated needle chamber which can be (optional) supplied with a stainless steel needle guide.

Placing your Ultrasound probe is quick and easy and requires only one locking screw through the handle with integrated magnets secure it all.

### ProbeHolder:

- Material: HMPE – Blue
- Dimensions: L 20.5" x W 2.4" x H 7.1" (including the removable handgrip)
- One (red) locking screw
- Two integrated magnets for quick locking
- No additional tools required
- The removable handgrip can be placed on three sides
- Transport case included

### Needle guide:

- Material: stainless steel
- Dimensions: 21.1" total length
- Outer diameter 0.2"
- Inner diameter 0.13"
- Fits perfectly in the Probeholder
- No additional tools required
- Trumpet piece for easy and safe access with the needle

Product	Itemnumber
Esaoe CA123	OPU 10E-CA123
Esaoe EC123	OPU 10E-EC123
Esaoe SC3123 / mC3-11	OPU 10E-SC3123
Esaoe SE3123 / SE3133	OPU 10E-SE3123
Sonosite C11X	OPU 10S-C11X
Needle Guide   1 Piece	OPU 10NG524-1
Needle Guide   5 Pieces	OPU 10NG524-5
Needle Guide   12 Pieces	OPU 10NG524-12







# 4 | Generator solutions

With our product line of generator gears, you will have no trouble finding a solution that will fit your daily needs and demands. Our Stat-X, jiXtr or X-ray switches will be a real asset to your equine practice, thanks to the all-purpose character of our tools. We can offer standard solutions for every mobile generator. Concerning your safety, ease-of-use, quality and convenience, you, your staff and your horses will be in good hands with Podoblock equipment.



- Stat-X Espléndido**  
Weight portable X-ray source: 13.2 - 31 lbs
- Swing arm length: 29.5"
  - Vertical travel arm: 27.5"
  - Vertical travel stand: 16.1"
  - Max height bracket: 76.8"
  - Transport size: L 44.9 x W 11.8 x H 12.6"
  - Weight: 48.5 lbs

- Weight portable X-ray source: 31.1 - 50.7 lbs
- Swing arm length: 22.8"
  - Vertical travel arm: 19.7"
  - Vertical travel stand: 27.6"
  - Max height bracket: 86.6"
  - Transport size: L 57.9 x W 11.8 x H 12.6"
  - Weight: 55 lbs
  - Color: PMS260C Satin



Weight X-ray source	Itemnumber
13.2 - 31 lbs	ESM 09750 6-14
31.1 - 50.7 lbs	ESM 09580 14-23

**Stat-X Vaquero**  
Weight portable X-ray source: 13.2 - 35.4 lbs

- Swing arm length: 29.5"
- Vertical travel arm: 27.5"
- Vertical travel stand: 27.6"
- Max height bracket: 82.3"
- Transport size: L 55.1 x W 11.8 x H 12.6"

Optional with short legs (19.7" instead of 35.4") and extra counterweight (14.3 lbs).

Weight portable X-ray source: 35.5 - 55.1 lbs

- Swing arm length: 22.8"
- Vertical travel arm: 19.7"
- Vertical travel stand: 27.6"
- Max height bracket: 77"
- Transport size: L 57.9 x W 11.8 x H 12.6"

- Weight: 48.5 lbs
- Color: PMS260C Satin

Weight X-ray source	Itemnumber
13.2 - 35.4 lbs	RSM 09750 6-16
35.5 - 55.1 lbs	RSM 09580 16-25
Short legs /extra counterweight	RSM 09SLEW







Swingarm Options

Loose Swingarm to upgrade or expand your Stat-X stand to the next level.

- The Bucky Swingarm has a weight-bearing capacity from 8.8 up to 33.0 lbs
- The Vaquero Swingarm has a capacity from 13.2 up to 55.1 lbs
- The Espléndido Swingarm has a capacity from 13.2 up to 50.7 lbs

For added usability and compatibility, there is a slide & lock adapter at the top of the Bucky Swingarm for connecting to the integrated 3D adjustable joint to our (optional) DR-Buckybox or DR-Cowboybox. See page 29.

Swingarm Types	Itemnumber
Bucky 8.8 – 33.0 lbs	SA 09750-DNL 4-15
Vaquero 13.2 – 35.4 lbs	SA 09750 6-16
Vaquero 35.5 – 55.1 lbs	SA 09580 16-25
Espléndido 13.2 – 31 lbs	SA 09750-3D 6-14
Espléndido 31,1 – 50.7 lbs	SA 09580-3D 14-23

jiXtr

With the jiXtr your X-ray source becomes an easy-to-handle, versatile and highly portable instrument that will cover every angle, spot or height you desire, while working quickly and safely and sparing your back in the process.

The jiXtr can be adjusted without pre-defined increments and has a variable height-adjustment. It is compatible with all X-ray devices on the market, with a maximum of 15 kg.

The rotation of the source in combination with the unlimited tilt of the jiXtr secures an accurate position for Skyline views.

- Material: Light-weight aluminium
- Transport size: L 5" x W 4" x H 33"
- Low position: L 11" x W 11" x H 31"
- High position: L 11" x W 11" x H 79"
- Stroke range: 63"
- Weight: 10 lbs
- 'Fix-and-release' system

Product	Itemnumber
jiXtr	JSM 09JIXTR



Generator remote control



TruXRAY™ Switch

Easy prep-and-expose switch for any portable X-ray source available on the market.

- Plug-and-play device
- Comes with adapter for your source
- Color: black

Note:  
Please measure the width of your generator grip and quote your generator brand when ordering

Product	Itemnumber
TryXRAY™ Switch	All series








## 5 | Flat panel solutions

The use of radiography is dangerous and highly stressful for the daily working conditions of the veterinarian and veterinary assistant. Taking radiographs releases radioactive radiation, and it is crucial at what distance a person and/or animal is from the X-ray generator and how that person is exposed to the radiation. This chapter focuses on solutions that increase the distance for imaging professionals who are likely exposed to the harmful effects of radiation during X-ray takes. You will also find our DR-product package for protection and easy positioning, we believe we have the most appropriate solution for today's equine veterinarian. In any case, we cannot imagine a practice without it! In total, we cover more than 50 brands of screens on the market.



For easy ordering use the online tool  
to find your Flatpanel brand and type →



SCAN ME





DR-Protectionbox

- Light-weight protectionbox - Handheld
- Depending on your DR-system, the box comes with a mounted grip handle or with our Greppstr 2.1 (see page 31).

Product	Itemnumber
DR-Protectionbox   Wired	All Series
DR-Protectionbox   Wireless	All Series



DR-Podo-Protectionbox

Protectionbox with 0.2" adapters to place in our Podoblock and Combibox, that guarantees the same direction and angle with hoof examinations at all times. Depending on your DR system, the box comes with a mounted grip handle or with our Greppstr 2.1 (see page 31).

Product	Itemnumber
DR-Podo-Protectionbox   Wired	All Series
DR-Podo-Protectionbox   Wireless	All Series



DR-Pouch

A radiolucent pouch that protects your fragile and expensive X-ray panel from outside influences during handling! Our DR-Pouch is available from stock in all ISO measurements and other sizes & models are on request available.

It comes with:

- Synthetic leather on the outside with marked detection area
- One long side and one short side are made of transparent material to get access to switches and view LED's
- Thermo-plastic strap handle covered with rubber grip for comfort carrying
- Fast and convenient zipper closure on one long side for ease access

Product	Itemnumber
DR-Pouch	All Series



DR-Buckybox

The DR-Buckybox is an affordable alternative version of our X-ray cassette protection case, similar to our DR-Cowboybox. The DR-Buckybox is ideally compatible with the Denfinity, Bucky Lite and Stat-X Bucky Stand.

- Available from stock for all current DR Flat Panels
- Perfect fitting box and secured with locking door
- The Polycarbonate box comes with the Greppstr 2.1 universal handgrip (for wireless Flat panels) for easy carrying

Product	Itemnumber
DR-Buckybox   Wired	All Series
DR-Buckybox   Wireless	All Series



DR-Cowboybox

Protectionbox, Podo-protectionbox and Remote cassette holder all-in-one. Standard with mountable telescopic grip, which rotates in 3D positions to get extra distance and a mountable and height-adjustable 300 mm Support Foot. For enhanced distancing from the x-ray source and thus the radiation exposure, the DR-Cowboybox is ideally compatible with the Denfinity, Bucky Lite and Stat-X Bucky Stand. Depending on your DR system, the box comes with a mounted grip handle or with our Greppstr 2.1.

Product	Itemnumber
DR-Cowboybox   Wired	All Series
DR-Cowboybox   Wireless	All Series



DR-Cowboy Package

The optimal combined package of DR Products to make all X-rays needed, both safely and in a standardized fashion.

The package deal includes:

- Podoblock
- DR-Cowboybox
- DR-Combibox LM / AP
- Combibox Dummy LM

Product	Itemnumber
DR-Cowboy Package   Wired	All Series
DR-Cowboy Package   Wireless	All Series





DR-Combibox LM / AP

The Skyline side of the DR-Combibox has the same features as the original DR-Skylinebox. Because of the unique angle, the horse is standing comfortably, and there is more space for the X-ray generator. When turned over, the tunnel has extra features to facilitate LM flat views of the foot. The special adapters on the DR-Combibox allow you to take "hands-free" X-rays in combination with our DR Podo-Protectionbox, DR-Cowboybox or DR-Buckybox. This way, the DR-Flatpanel is protected and always in the right position. The DR-Combibox LM / AP has the option to facilitate AP flat views of the foot. This way it is not necessary to replace the foot for both exams.



Find your FPD brand

Product	Itemnumber
DR-Combibox LM / AP	All Series

Combibox Dummy LM

The DR-Combibox Dummy LM lifts the equine foot to a higher level. The special adapter on the Dummy block allows you to take "hands-free" X-rays in combination with our DR Podo-Protectionbox or DR-Cowboybox.

- Size: L 9.3" x W 6.3" x H 3.5"



Find your FPD brand

DR-Combibox Set

Both standing feet on the same height is advised with LM and AP examinations. That is why our Combibox Dummy can also be supplied with the DR-Combibox.

The Combibox Set is included:

- DR-Combibox LM / AP
- Combibox Dummy LM



Find your FPD brand

Product	Itemnumber
Combibox Dummy LM	CO 06DUM081DR
DR-Combibox Set	All Series

DR-Skylinebox

This product is a full protection box made of 0.8" polycarbonate material that withstands the weight of the horse's foot while in standing position during X-ray exams. Because of the particular angle, the horse is standing comfortably, and there is more space for the generator. The top surface comes with a translucent anti-slip surface. A lock secures the opening of the insert.

- Material: 0.8" polycarbonate



Product	Itemnumber
DR-Skylinebox	All Series



Find your FPD brand

Grepstr 2.1

This universal grip handle can be used on a number of our DR-products:

- DR-Protectionbox
- DR-Podo-Protectionbox
- DR-Cowboybox
- DR-Buckybox

Product	Itemnumber
Grepstr 2.1	GH 10120M8-12



Find your FPD brand

Distance Stick

These sticks can be used on several products for CR Cassette solutions and DR-Flat panel solutions.

Please make sure you choose the correct one.

Product	Itemnumber
CR-Distance Cassette Holder	GH 10STICK-1
CR-Kneeholder	GH 10STICK-2
DR-Cowboybox	GH 10STICK-3
DR-Buckybox	GH 10STICK-3



Find your FPD brand

Support Foot

This Support Foot can be used on several products for CR Cassette solutions and DR-Flat panel solutions.

They are universal and work with the CR-Distance Cassette holder with foot option, our DR-Cowboybox and DR-Buckybox.

Size	Itemnumber
11" - 19.2"	LS 10300MM
39.4" - 74.8"	LS 101200MM

CR Panel Solutions

Computed radiography (CR) systems are still much in use in the veterinary world. At Podoblock we offer a complete product line in order to enable your CR system for your equine tasks. Check our complete CR product portfolio online →



SCAN ME



Stat-X Bucky

With our Stat-X Bucky, you have the most advanced, all-purpose mobile stand that will fully satisfy your needs in your daily working environment.

The Bucky can be ordered with optional short legs (19.7" instead of 35.4") and extra counterweight (14.3 lbs).

For added usability and compatibility, there is a slide & lock adapter at the top of the Swingarms for connecting to the integrated 3D adjustable joint to our (optional) DR-Buckybox or DR-Cowboybox. It takes only 2 seconds!

Technical Specifications:

- Swing arm length: 29.5"
- Vertical travel arm: 27.5"
- Vertical travel stand: 16.1"
- Max height bracket: 72.8"
- Weight X-ray cassette / Panel: 8.8 - 44.1 lbs
- Transport size: L 43.3" x W 11.8" x H 12.6"
- Weight: 48.5"
- Colour: PMS260C Satin

The Stat-X Bucky is compatible with our DR-Cowboybox and the DR-Buckybox, but it comes without a Cassette or Panel holder, these can be ordered separately. See page 29.

Weight X-ray cass/panel	Itemnumber
8.8 - 44.1 lbs	BSM 09750 4-15
Short legs / extra counterweight	RSM 09SLEW



Stat-X Swingarm Bucky

The Bucky Swingarm has a weight-bearing capacity from 8.8 up to 33.0 lbs where the 8.8 – 15.4 lbs is most convenient for all systems.

For added usability and compatibility, there is a slide & lock adapter at the Bucky Swingarm for connecting to the integrated 3D adjustable joint to our (optional) DR-Buckybox or DR-Cowboybox. See page 29

Swingarm Types	Itemnumber
Bucky 8.8 - 33.0 lbs	SA 09750-DNL 4-15



Bucky Lite

The Bucky Lite is a mobile stand for mounting one of our X-ray cassette protection boxes (DR-Buckybox or DR-Cowboybox). The stand can easily be adjusted to a suitable height for the perfect X-ray result. It is collapsible and built with light-weighted material for easy transport or carrying around. It is the perfect equipment that is efficient and practical for your daily working environment.

To set up, push down the slide bar located on the vertical tube, and the connecting base wheels will extend outwards and set into a working position. It requires no tools or skills and no loose components. The whole process takes only 5 seconds!

For added usability and compatibility, there is a slide & lock adapter at the top of the tripod for connecting to the integrated 3D adjustable joint to our (optional) DR-Buckybox or DR-Cowboybox. It takes only 2 seconds!

- Light-weighted aluminium material
- Foldable, retractable and movable tripod
- Maximum height of 3D-joint is 59.1"
- Vertical travel of the telescopic tube is 24"
- Easily transported with a weight of 10 lbs
- Folded dimensions L 37" x W 9.1" x H 9.1"
- Comes with 5 swivel wheels (2 with a locking brake)

Product	Itemnumber
Bucky Lite	BSL 09VIO3D

Denfinity


This light-weight portable and collapsible stainless steel stand offers you the freedom to make high-quality Skull X-rays in a hands-free fashion. The Denfinity stand is a fully stainless steel base plate and vertical telescopic pole that guarantees a secure positioning and right height adjustment. Starting with the base element of the Denfinity, the base plate and pole, you can configure with several options that can quickly and directly be placed on the Denfinity base. The aluminium 3D-joint is used in combination with our Protectionbox.

The Protectionbox secures your Cassette or Flatpanel when using in combination with the 3D-joint.



Product	Itemnumber
Denfinity Base Element	DSJ 1050401
Denfinity 3D-Joint	DSJ 10DNL3D





# 6 | Markers

Despite the digital revolution, the use of markers is still commonplace. Isn't it convenient to be able to carry on doing this in the 21st century - as if it were the analogue era? Sometimes there's just nothing wrong with being 'Old School'...

## X-Ray Clip

Stainless steel clip for analogue and CR-cassettes.

- 2.16" x 0.83"
- Gap: 0.7"

Product	Itemnumber
L / R	RC 10LR18LF / RF
LF / RF	RC 10LFRF18
LV / RV	RC 10LVRV18
LH / RH	RC 10LHRH18
LAT / MED	RC 10LATMED18



## X-Ray Clip DR

Multiclip that clenches around the edges of our boxes / pouches.

- 3.74" x 0.98"
- Gap: 1.06"

Product	Itemnumber
L / R	RC 10LR27
LF / RF	RC 10LFRF27
LV / RV	RC 10LVRV27
LH / RH	RC 10LHRH27
LAT / MED	RC 10LATMED27



## Multimarker

Stainless steel all-in-one marker with suction cup.

- Ø 0.2"

Product	Itemnumber
LF / RF / LH / RH	RCM 10ENZN
LV / RV / LH / RH	RCM 10DEZN
LAT / MED / DV / VD	RCM 10LMZN



## Multiclip DR

Multiclip that clenches around the edges of our boxes or pouches.

- Ø 0.2"
- Gap 1.06"

Product	Itemnumber
LF / RF / LH / RH	RCM 10ENDR
LV / RV / LH / RH	RCM 10DEDR
LAT / MED / DV / VD	RCM 10LMDR



## Sarah Marker

Marker with integrated label to always be sure about the horizontal plane.

Product	Itemnumber
L / R with suction cup	SC 10LRZN
L / R with stainless steel clip	SC 10LRDR



## Buckymarker

Marker with suction cup or clip for your cassette holder to provide information about the horizontal plane.

- 360° rotation
- Size: L 1.9" x W 1.73" x H 0.16"

Product	Itemnumber
With suction cup	MKB 1048444
With stainless steel clip	MKB 1048444DR



## Left & Right X-Ray Lead Markers


- Deluxe, lightweight plastic casing
- Increased durability and an exceptional finish
- Vertical orientation
- Right & left characters are 0.63" each
- Sold as a set of markers (left & right)
- Colour: Red & Blue

Product	Itemnumber
L & R Lead Markers	LM 10LRTA4



# 7 | Image improvement

After our early-day inventing and production of several X-ray accessories, we received a steady flow of demand for specialized and customized products to enhance and improve the quality of X-rays. All these inventions have meanwhile become mainstream in our product line and can usually be delivered from stock.



## Antiscatter Grid

Our anti-scatter Grid's are always produced on customer request and therefore will create the most effective device for reduction of scattered radiation. Made of very thin lead strips with the spaces between the strips that are filled with low-attenuating material.

- Grid covers can be from Aluminium (standard) or Carbon fibre (optional) material
- Grid specifications (Focused or Parallel, Focus Distance, Lines per cm, Ratio, Portrait or Landscape model and exact sizing) can be set by ordering
- Below you will find listed the most common sized Focused and Parallel Grid with Aluminium and Carbon fibre covers with their corresponding pricing
- Other specific Grid specifications don't interfere in the pricing
- Grids are always produced on request (lead times 4-6 weeks), therefore no return possible



Product	Model	Size	Itemnumber
Aluminium cover / Focused	24 x 30	268 x 327 mm	AFG 10ISO2430
Aluminium cover / Focused	10" x 12"	280 x 330 mm	AFG 10ISO1012
Aluminium cover / Focused	14" x 17"	385 x 460 mm	AFG 10ISO1417
Aluminium cover / Focused	17" x 17"	460 x 460 mm	AFG 10ISO1717
Aluminium cover / Parallel	24 x 30	268 x 327 mm	APG 10ISO2430
Aluminium cover / Parallel	10" x 12"	280 x 330 mm	APG 10ISO1012
Aluminium cover / Parallel	14" x 17"	385 x 460 mm	APG 10ISO1417
Aluminium cover / Parallel	17" x 17"	460 x 460 mm	APG 10ISO1717
Carbon fibre cover / Focused	24 x 30	268 x 327 mm	CFG 10ISO2430
Carbon fibre cover / Focused	10" x 12"	280 x 330 mm	CFG 10ISO1012
Carbon fibre cover / Focused	14" x 17"	385 x 460 mm	CFG 10ISO1417
Carbon fibre cover / Focused	17" x 17"	460 x 460 mm	CFG 10ISO1717
Carbon fibre cover / Parallel	24 x 30	268 x 327 mm	CPG 10ISO2430
Carbon fibre cover / Parallel	10" x 12"	280 x 330 mm	CPG 10ISO1012
Carbon fibre cover / Parallel	14" x 17"	385 x 460 mm	CPG 10ISO1417
Carbon fibre cover / Parallel	17" x 17"	460 x 460 mm	CPG 10ISO1717



## EZ Paste

The EZ paste is a Barium Sulphate radiopaque paste that provides excellent radiographic visualization of internal testing.

- The tube contains 454 grams of paste.

Product	Itemnumber
EZ Paste	BP 10EZPASTE





Backscatter Lead

- Separate foil with sealed lead to avoid backscatter
- Fast and convenient application behind any X-ray panel
- Fully covered lead Pb 0.15 mm



SCAN FOR PRICES

Brand	Size	Itemnumber
ISO 24 x30	268 x 329 mm   0.15 mm Pb	BL 10ISO2430
ISO 10"x 12"	280 x 333 mm   0.15 mm Pb	BL 10ISO1012
ISO 14" x 17"	385 x 460 mm   0.15 mm Pb	BL 10ISO1417
Vieworks 1012N / 2530VAW	287 x 350 mm   0.15 mm Pb	BL 10287350
Canon CXDI-80C/801C/810C	308 x 384 mm   0.15 mm Pb	BL 10308384
Vatech 1012WCA	337 x 395 mm   0.15 mm Pb	BL 10337395



Aluminium Wedge

Aluminium Wedges that filter the radiation with high purity, made from homogeneous quality aluminium for better back / neck X-rays.

- Small wedge with Velcro for use on your X-ray generator. Dimensions: 7.68" x 2.95" / 23°
- Small wedge with Velcro for use on your X-ray generator. Dimensions: 7.68" x 1.97" / 45°
- Large concave wedge by Prof. J.M. Denoix. Dimensions: 15.75" x 7.87" x 1.57" - 0"



SCAN FOR PRICES

Product	Itemnumber
7.68" x 2.95" / 23°	AK 101957530
7.68" x 1.97" / 45°	AK 101955045
15.75" x 7.87" x 40-0 mm	AK 1040025040



Aiangle

A great device to measure the exact angle. It is easy to place on both your generator and Cassette Holder. We supply a digital and an analogue version.

Product	Itemnumber
Analogue	AI 10AN1C
Digital	AI 10RAS2C



SCAN FOR PRICES

Analogue

- Measuring range: 360°
- Velcro base

Digital

- Measuring range: 360°
- Magnetic base, tilt display
- 2 AAA batteries included



MAKE WORK EASIER  
Re-imagine the way you work

Re-imagine the way you work. With innovative products, we make safe and efficient work naturally.

That is why we started as pioneers in mobile imaging solutions in 2008. We constantly search for and find solutions to make our products smarter, safer, compact and lighter. We implement these innovations in our specialized product range.



Re-imagining the way you work



## 8 | Protection & Safety

Radiation protection is pivotal to all X-ray exams. It's the alpha and the omega. Fortunately, we offer a complete range of products to protect our users against radiation optimally. With personalized sizes and colours, we have tried to make our product line suitable for all our customers. We have solutions for all environments, be they stationary at your clinic or in a mobile environment on any location.



### X-Ray Apron 'The Basic Buckle'

This Apron is our most economically priced Lead-Free apron, equipped with a Buckle and a Velcro shoulder strap to keep the apron snugly fitted during work. The accessory is Thyroid Shield included and has a convenient magnetic MAGNAGUARD™-closing instead of Velcro.

This Lead-free apron is made of new material, consisting of 12 metals. It is more flexible, lighter, and has the same protection value. (Pb 0.5 mm equivalent)

Made in the USA, this apron guarantees quality and maximum protection!

**Color:** Navy Blue with a silver lining  
**Material:** ULTRAFLEX™ fabric  
**Sizes:** Small, Medium, Large, Extra Large  
**Included:** Accessory Thyroid Shield

Size	Chest/Waist	Length	Weight (lbs)
Small	35" - 38"	35"	5.9
Medium	39" - 42"	37"	6.4
Large	43" - 46"	39"	7.2
Extra Large	47" - 50"	41"	7.6

Product	Itemnumber
X-ray Apron 'The Barrier Buckle'   Small	RJ 10TBB05STS
X-ray Apron 'The Barrier Buckle'   Medium	RJ 10TBB05MTS
X-ray Apron 'The Barrier Buckle'   Large	RJ 10TBB05LTS
X-ray Apron 'The Barrier Buckle'   X-Large	RJ 10TBB05XLTS



SCAN FOR PRICES



Thyroid Shield



X-Ray Apron 'The Barrier Flex'

- Provides excellent weight distribution & comfort
- Two full adjustable Velcro straps cross in the back & attach in the front providing a comfortable fit while keeping the apron securely on the shoulders
- Adjustable elastic inserts in the rear flaps offer greater comfort, adjustment & support
- Comfortable fit during long procedures
- Shoulder pads provide additional comfort
- Thyroid protection shield integrated with magnet closing ensures maximum protection
- The Pb-free version is made of new material, consisting of a combination of 12 metals and is lead-free. It is more flexible, much lighter and has the same protection value

Made in the USA, this apron guarantees quality and maximum protection!

**Colour:** Navy Blue with silver lining  
**Material:** Lightweight ULTRAFLEX™ fabric  
**Sizes:** Small, Medium, Large, Extra Large  
**Weight:** Min: 5.9 lbs, Max: 7.6 lbs

Size	Chest/Waist	Length	Weight (kg)
Small	35" - 38"	35"	5.9
Medium	39" - 42"	37"	6.4
Large	43" - 46"	39"	7.2
Extra Large	47" - 50"	41"	7.6

Size	Itemnumber
Small	RJ 10FLEX05STS
Medium	RJ 10FLEX05MTS
Large	RJ 10FLEX05LTS
Extra Large	RJ 10FLEX05XLTS



Thyroid Shield



Back



Side



X-Ray Vest & Chaps

The UltraFlex Support Lightweight Lead-Free X-ray Vest and Chaps.

Product Features

- Fluid-proof, antibacterial, stain-resistant
- Lightweight lead-free 0.5 mm Pb-equivalent front protection and 0.25 mm Pb-equivalent back protection
- Two pieces for maximum comfort and even weight distribution to reduce body fatigue
- Durable High-quality UltraFlex material
- Easy to clean with any disinfectant
- Includes attached thyroid shield

The Lead-free X-ray Vest and Chaps is an original Podoblock design and is only available through Podoblock.

**Size:** Chest/ Waist 40 - 49"  
**Length:** Vest: 24.8" | Chaps: 23.6"  
**Weight:** Vest: 7.6 lbs | Chaps: 6.6 lbs  
**Material:** Lightweight ULTRAFLEX™ fabric  
**Colour:** Black & Silver

Product	Itemnumber
Vest & Chaps	RJ 10VC05LTS



Back



Side



Front



Back



Apron Rack Hanger

- 1 garment
- Wood or Stainless Steel



Product	Itemnumber
Apron Rack Hanger   Wood	RR 10CH01
Apron Steel Hanger   Stainless steel	TA ARH-01



Glove Rack

- 3 pairs gloves
- Wall mount

Product	Itemnumber
Glove Rack   3 Pairs	RR 10CH03



Apron Rack Wall

- 5 garments
- Wall mount
- Left & right side folding

Product	Itemnumber
Apron Rack Wall   L	RR 10CH05-L
Apron Rack Wall   R	RR 10CH05-R



Storage Rack Complete

The Storage Rack is suited for:

- 6 garments
- 3 pair of gloves
- 3 sets of goggles
- Comes in parts - easy set-up
- Size: L 27.5" x W 19.7" x H 78.7"
- 4 castor wheels, 2 of which with brake pedal
- 6 hangers are included

Product	Itemnumber
Storage Rack Complete	RR 10CH06



Mittens

Mittens

- Flexible vinyl glove
- One size fits all Pb 0.5 mm

Product	Itemnumber
Mittens	RH 10MIT05M



'Speedy'- Black & Orange



'Fit Over'- Black



X-Ray Protective Goggles

- Lead glasses
- Pb Front 0.75 mm
- Pb Side 0.5 mm
- Adjustable straps
- Protective case

Product	Itemnumber
Protection Goggles - Speedy	RB 10SP05
Protection Goggles - Fit Over	RB 10FO05







Cross Base Mobile Lead Shield

This fully collapsible Lead Shield with adjustable radiation barrier protects against secondary or scatter radiation. Easy to transport and use in any location.

- Shield size W 24" x H 35"
- Pb value 0.5 mm
- Light-weighted aluminium material
- Collapsible & Height Adjustable (no tools required)
- The maximum height of the bracket for the lead shield is 175 cm
- Vertical travel of the telescopic tube is 33"
- Easily transported with a weight of 18.5 lbs
- Folded dimensions 37" x 9" x 9"
- It comes with 5 swivel wheels (2 with a locking brake)

Product	Itemnumber
Cross Base Mobile Lead Shield	MLS 10CBASE



Warning Sign

Mobile warning sign that radiation is being released.

Available languages:

- English
- German
- Dutch
- Danish
- French

Other languages on request

Product	Itemnumber
English	WS 10600EN
German	WS 10600DE
Dutch	WS 10600NL
Danish	WS 10600DK
French	WS 10600FR

Barrier Tape

Hazard warning tape is designed as a cautionary marking tape for use in areas where radiation is being released.

- Two-sided print
- Easy tear-off
- Width: 3"
- 820 ft per roll

Product	Itemnumber
1 Roll	WT 1025075-1



Scinti Solutions

These standard blocks are made to elevate the horse's foot to the desired height in 2 stages, single or stacked.

The blocks are made without any metal parts, in order to avoid interference with Scintigraphy and comes with 3M anti-slip cover.

Get 2 sets of blocks (4 in total) on which to position the horse. Stacking the blocks allows for a second, higher position of the horse.

The 2 available Covers come in 2 different sizes.

- 1 block measures 2.95" in height
- 2 layered blocks measure 5.71"

The SET includes:

- 2 sets of 2 blocks
- 1 small Cover, measuring L 30" x W 11" cm and Pb 1,5 mm
- 1 large Cover, measuring L 30" x W 22" cm and Pb 1,5 mm

Both Covers each have 4 corner-grips for easier use and come in grey.

Product	Itemnumber
Cover Small	SC 10COVER_S
Cover Large	SC 10COVER_L
SCINTI Blocks (2 x 2 blocks)	SC 10BLOCK2x2
SCINTI Set	SC 10SET







## 9 | Transport & Storage

Having mobile efficiency is essential for every mobile veterinarian. Imagine having all your necessary tools in one simplified transport system to grab and go. At Podoblock, this is what we do. We provide efficient transport solutions to enhance your mobile efficiency. In this chapter, you will discover our lightweight, compact and transport friendly solutions for every mobile veterinarian.



### SCANdroid

The ideal, height-adjustable scan stool for the mobile veterinarian to transport to the job site or for clinic use.

Note: For more information revert to page 10  
H1 | Orthopedics - Ultrasound

Compare carts: QR code Scan me:  
[podoblockusa.com/veterinary-carts](https://podoblockusa.com/veterinary-carts)→



SCAN ME



NewCart

Durable, in height adjustable cart for all small and big machines or equipment, accommodated with gas spring for variable, stageless height-adjustment and storage space in bottom reservoirs. Easy transport position with the pull-out handle, easy storage in vertical position.

- Transport size: W 16.3" x D 24.4" x H 11.8"
- Weight: 37.9 lbs
- Plateau size (inside rim): W 22.4" x D 14.6"
- Height-adjustment from 11.8" to 42"
- Maximum load: 45 lbs
- 4 swivel, lockable Ø 100 mm castor wheels

- A. Transport Position
- B. Position 1: Height 11.8"
- C-D. Stageless height adjustment: 11.8" - 42"

Product	Itemnumber
NewCart	VS 10NCART
ProbeRack	CUPH 10NCART
NewCart + ProbeRack	VS 10NCART C



SCAN FOR PRICES



A

B



C



D



OPTIONAL: ProbeRack




Position 1: 10"



Position 2: 22"



Position 3: 3"



The DRagster

The DRagster veterinary cart comes upgraded with larger wheels for enhanced stability and a pull-out handle for transport, thus increasing portability. The cart is built with durable aluminium material, height-adjustable and suitable for heavy machines and equipment. Three positions height adjustment, 10", 22" and 34".

- It can be stored in a vertical position to save space
- Easy transport position with the pull-out handle
- It works great as a mobile cart for small and oversized equipment
- And also for your DR-flat panel suitcase

**Optional** with professional ProbeRack to store in total 2 ultrasound probes and gel bottle.

- Transport: W 22" x D 17" x H 10"
- Total weight: 32 lbs
- Tray Dimensions : W 22" x D 17"
- Max. load: 77 lbs
- 2 big ø 8" wheels
- 2 locking ø 15" castors

Product	Itemnumber
DRagster	VS 10865625
ProbeRack	CUPH 10SCAN
DRagster + ProbeRack	VS 10865625 C



SCAN FOR PRICES



Compact Storage Position

Smooth & Efficient Transport



Optional: ProbeRack

SCANster

This veterinary trolley is the optimal ultrasound solution for creating the ideal working height at all times. Especially designed for the portable ultrasound. Optional ProbeRack can be ordered to store a total of 2 ultrasound probes and a gel bottle.

- Material: Light-weight durable aluminium
- Transport size: W 23" x D 16" x H 10"
- Weight: 29 lbs
- Plateau size: W 21.6" x D 14.8"
- Maximum load: 33 lbs
- 4 locking Ø 3" castor wheels

Product	Itemnumber
SCANster	VS 1045321910
ProbeRack	CUPH 10SCAN
SCANster + ProbeRack	VS 1045321910 C



Possible Positions



1



2



3



4

- Position 1:** 10" for imaging the foot and pastern  
**Position 2:** 17" for imaging the forelimbs and hind limb  
**Position 3:** 30" for imaging the stifle, shoulder and elbow  
**Position 4:** 44" for imaging the hip, sacrum, back, neck and endo-rectal images



Mobile WorkStation

The Mobile WorkStation is a sophisticated, compact, comfortable and flexible construction that creates optimal mobile working space for every mobile professional. The WorkStation is entirely customizable and upgradeable with StorageBoxes and Upgrade units to create a system that can be easily transported, assembled and disassembled by one person and quickly loaded into a vehicle.

- Colour: Black/Light Grey
- Material: ABS, Aluminium
- Dimensions: W 64 x D 60 x H 90 cm
- Weight: 30 kg
- Upgrades: 13

Features

- Completely customizable
- Numerous upgrades possibilities
- Compact and solid

Benefits

- Build the system you need to get the job done
- Lightweight for easy transport
- One person assembles and disassembles







Base element



Twist&Lock knob

Build your own mobile workstation in 4 steps

Step 1 – Start with a Base element

Step 2 – Choose your upgrades - listed on page 56

Step 3 – Choose your StorageBoxes and Drawers

- The boxes are designed to securely stack on top of each other with a Twist&Lock knob. The WorkStation’s Base element also has a Twist&Lock knob for securing boxes. The stacking possibilities are unlimited.
- You can stack up the StorageBoxes and Drawers to 27" high on the Mobile WorkStation. Need more boxes for your equipment? No worries, you can easily change boxes on the Mobile WorkStation. Another option is to take extra boxes to the mobile workplace on a Transport Base Element (page 60). For safe transportation, a Stationary Base Element is available which secures the StorageBoxes in the car (page 57).
- The StorageBoxes come in 3 standard sizes Medium, Large and XXLlarge. These sizes indicate the width of the box. Within the sizes, the boxes have different heights (page 61):  
M     W 15.6" x D 11.7"  
L     W 20" x D 11.7"  
XXL   W 31.2" x D 11.7"

Step 4 – Order your mobile workstation or request a demo

Would you like to see a demonstration to check out the possibilities of the Mobile WorkStation? You are always welcome to visit our workplace in Tynaarlo (NL), we can give an online demonstration or we can look for a possibility to give a demonstration on location. Just make an appointment by contacting us.

Or choose one of the 4 configurations

Note: see page 55

Mobile Workstation configurations



Mobile WorkStation Equine Vet Essential



Mobile WorkStation Equine Vet Professional



Mobile WorkStation Equine Dental Essential



Mobile WorkStation Equine Dental Professional

Product	Includes	Itemnumber
Equine Vet Essential	Base Element + Upgrade 2, 8, & 10 StorageBox Standard Medium H105, H180 & Large H180 Toolbox Medium	MWS 14WT-EVE
Equine Vet Professional	Base Element + Upgrade 1, 2, 3, 4, 7, 9, 10 StorageBox Standard Medium H105, H180 & Large H230 Toolbox Medium	MWS 14WT-EVP
Equine Dental Essential	Base Element + Upgrade 2, 8, 11 StorageBox Standard Medium H105, H130 & Large H180 StorageBox Single Drawer Medium H270	MWS 14WT-EDE
Equine Dental Professional	Base Element + Upgrade 1, 2, 3, 7, 8, 11 StorageBox Standard Medium H105, H130 & Large H180 StorageBox Single Drawer Medium H270 Toolbox Medium	MWS 14WT-EDP

Compare Mobile WorkStation online:  
QR code Scan me: [podoblockusa.com/mobile-workstation](https://podoblockusa.com/mobile-workstation) →



SCAN ME



Product			Itemnumber
Storage, Transport & Workspace Trolley Base element			MWS 14WT-BE
Upgrade 1	Workspace Increase	Plateau size W 38.2" x D 17.5"	MWS 14WT-U1
Upgrade 2	Power Supply	7 meter extension / 1x EU 230V plug	MWS 14WT-U2
Upgrade 3	Power Extension	7 meter extra reach / 1x EU 230V socket	MWS 14WT-U3
Upgrade 4	Power Expansion	32 ft cable / 5x EU 230V socket	MWS 14WT-U4
Upgrade 5	Power Storage	32 ft cable / 5x EU 230V socket   UPS back-up	MWS 14WT-U5
Upgrade 6	Power Station	3680W / 1x EU 230V socket   1x USB-C	MWS 14WT-U6
Upgrade 7	Telescopic Equipment	incl. 2 Carabiner Snap Hooks	MWS 14WT-U7
Upgrade 8	SCANdroid Transport Support	Magnetic Hook	MWS 14WT-U8
Upgrade 9	4 Positions Hook board		MWS 14WT-U9
Upgrade 10	Garbage bin with separate Needle container		MWS 14WT-U10
Upgrade 11	4 tube positions	L 15.7" / 2x Ø2.2" & 2x Ø1.6"	MWS 14WT-U11
Upgrade 12	Garbage bin, Needle container & Tork paper dispenser		MWS 14WT-U12
Upgrade 13	Transport profile / 39.4" used with Upgrade 10, 11 & 12		MWS 14WT-U13




Mobile WorkStation StorageBox

The StorageBoxes come in 3 standard sizes - Medium, Large and Extra Extra Large. These boxes vary according to height and interior dimensions and are designed to securely stack onto each other with a twist&Lock knob that creates a perfect, uniformed and organised storage system - which can be placed directly onto your Mobile Workstation and easily into a veterinary car. In addition, stacking possibilities are unlimited and create maximum mobility and organisation in a stationary or mobile job site.

StorageBox Types

- Medium (M) has the basic outside dimensions W15.6" x 11.7" is available in six different heights (See table below).
- Large (L) has the basic outside dimensions W20" x D11.7" is available in three different heights (See table below).
- Extra Extra Large (XXL) has the basic outside dimensions W31.2" x D11.7" is available in two different heights (See table below).

Material: ABS Plastic



Stationary base element



ToolBox



Single Drawer



Triple Drawer



Transport base element

Product	Dimension Interior		Itemnumber
StorageBox	Medium	H105mm	MWS 14SBS-M105
StorageBox	Medium	H130mm	MWS 14SBS-M130
StorageBox	Medium	H180mm	MWS 14SBS-M180
StorageBox	Medium	H230mm	MWS 14SBS-M230
StorageBox	Medium	H330mm	MWS 14SBS-M330
StorageBox	Medium	H430mm	MWS 14SBS-M430
StorageBox	Large	H130mm	MWS 14SBS-L130
StorageBox	Large	H180mm	MWS 14SBS-L180
StorageBox	Large	H230mm	MWS 14SBS-L230
StorageBox	XXLarge	H230mm	MWS 14SBS-XXL230
StorageBox	XXLarge	H330mm	MWS 14SBS-XXL330
Single Drawer	Medium	H270mm	MWS 14SBSD-M270
Single Drawer	Medium	H315mm	MWS 14SBSD-M315
Triple Drawer	Medium	H315mm	MWS 14SBTD-M315
Toolbox	Medium		MWS 14SBT-M
Stationary base element			MWS 14SBS-BE
Transport base element			MWS 14SBT-BE







# 10 | Farriery


Changing a horseshoe is ideally done by a farrier. But when you, as an equine veterinarian choose to do so, we have several professional and ingenious tools for you lined out in this chapter.


Apron  
VET



SET



  
SCAN FOR PRICES

  
SCAN FOR PRICES

## VET Tools

A comprehensive set of tools to get you going, quickly and safely.

**VET Tools Set includes:**

- Apron "VET"
- Soft-faced Hammer
- Clinch Cutter
- Straight Blade
- Loop Knife
- Nail Puller
- Pull-off
- Adjustable Hooftester
- Canvas Storage Bag

Product	Itemnumber
Apron "VET"	VV 10VET
VET Tools Set	VV 10SET





  
SCAN FOR PRICES

  
SCAN FOR PRICES

## Adjustable Hooftester

Easy-to-use, adjustable hooftester.

- Stainless Steel

## Hooftester

- Easy to use and durable stainless steel equine hoof tester

Product	Itemnumber
Adjustable Hooftester	VV 10WERK07
Hooftester	VV 10WERK08





  
SCAN FOR PRICES

## 123 Shoeing Kit

Use this indispensable high-quality farrier-hammer with the clinch cutter for removing 'hidden' nails during de-shoeing.

- Shoe Puller
- Hammer
- Clinch Cutter

Product	Itemnumber
123 Shoeing Kit	PZT 10123SK

#### Podoblock:

- Makes work easier
- Excellent service
- Safe and ergonomic working
- Global delivery
- Excellent quality products
- Customization
- Easily transportable products



Re-imagining the way you work

8204 SW Lost River Road, Stuart, FL 34997 U.S.A.

info@podoblockusa.com | 001 561 815 22 65

[podoblockusa.com](https://podoblockusa.com)